



**SHERWIN-WILLIAMS.**



# Hospitality Facility Guide Specification

---

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latex, acrylic, water-based epoxy, and water-based urethane. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, visit [sherwin-williams.com](http://sherwin-williams.com) or call our Architectural Services Answer Team.

**The Sherwin-Williams Company**  
**Architectural Services Department**  
**800-321-8194 (Telephone)**  
**216-566-1392 (Fax)**  
**[specifications@sherwin.com](mailto:specifications@sherwin.com) (Email)**

**09 91 23 INTERIOR &  
09 91 13 EXTERIOR**

Issued July 2016

The Sherwin-Williams Company

**Download this document at  
[www.swspecs.com](http://www.swspecs.com)**

# Index

---

## INTERIOR SYSTEMS:

<b>Important Surface Prep Instructions:</b>	<b>Page 3</b>
<b>Interior Topcoats:</b>	<b>Page 3</b>
<b>Miscellaneous Notes:</b>	<b>Page 4 – 5</b>
<b>Guest Room:</b>	<b>Page 6– 7</b>
Gypsum Board —Walls	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
Wood — Painted Doors, Frames, Trim, or Chair Rails	
Wood — Stained Trim or Chair Rails	
<b>Hallway/Corridor:</b>	<b>Page 7– 8</b>
Gypsum Board —Walls	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
Ferrous Metal — High Performance Finish (including Handrails)	
Non-Ferrous Metal — Galvanized/ Aluminum	
Non-Ferrous Metal — High Performance Finish (including Handrails)	
<b>Lobby/Common Area:</b>	<b>Page 9– 10</b>
Gypsum Board —Walls	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
Ferrous Metal — High Performance Finish (including Handrails)	
Non-Ferrous Metal — Galvanized/Aluminum	
Non-Ferrous Metal — High Performance Finish (including Handrails)	
<b>Conference/Multi-Purpose Room:</b>	<b>Page 11 – 12</b>
Gypsum Board —Walls	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
<b>Bathroom:</b>	<b>Page 12 – 13</b>
Gypsum Board — Walls	
Gypsum Board Walls — High Performance Finish	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
<b>Fitness Center:</b>	<b>Page 13</b>
Gypsum Board —Walls	
Gypsum Board Walls — High Performance Finish	
Gypsum Board — Ceiling	
Ferrous Metal — Doors, Frames, and Miscellaneous Metals	
<b>Restaurant/Kitchen:</b>	<b>Page 14 – 15</b>
Gypsum Board – Walls	
Gypsum Board Walls — High Performance Finish	
Gypsum Board — Ceiling	
Ferrous Metal — High Performance Finish	
Non-Ferrous Metal —Galvanized/ Aluminum	
Non-Ferrous Metal — High Performance Finish	
<b>Indoor/Outdoor Pool:</b>	<b>Page 15</b>
CMU — Interior Walls in Pool Area & Chemical Storage	
Gypsum Board — High Performance Finish for Walls & Ceilings	
<b>Concrete Floors — Pigmented Coatings Systems:</b>	<b>Page 16</b>
Light Duty (Foot Traffic)	

# Index (Cont.)

---

## EXTERIOR SYSTEMS:

<b>Exterior Topcoats:</b>	<b>Page 17</b>
<b>Concrete &amp; Masonry Vertical Surfaces — Smooth</b>	<b>Page 18</b>
<b>Concrete &amp; Masonry Vertical Surfaces — Textured</b>	<b>Page 18</b>
<b>Plaster/Stucco/EIFS:</b>	<b>Page 18</b>
<b>Wood:</b>	<b>Page 19</b>
<b>Ferrous Metals:</b>	<b>Page 19</b>
<b>Non-Ferrous Metals:</b>	<b>Page 19</b>
<b>Balcony:</b>	<b>Page 19</b>

# Hospitality Facility Interior Paint Schedule

## Important Surface Preparation Instructions

Verify the existence of lead based paints on the project. Buildings constructed after 1978 are less likely to contain lead based paints. If lead based paints are suspected on the project, all removal must be done in accordance with the EPA Renovation, Repair and Painting rule and all applicable state and local regulations. State and local regulations may be more strict than those set under the federal regulations. Verify that Owner has completed a Hazardous Material Assessment Report for the project prior to issuing of Drawings.

**WARNING!** Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (**NIOSH** approved) and proper containment and cleanup. For more information, call the National Lead Information Center at **1-800-424-LEAD** (in US) or contact your local health authority. Removal must be done in accordance with EPA Renovation, Repair and Painting Rule and all related state and local regulations. Care should be taken to follow all state and local regulations which may be more strict than those set under the federal RRP Rule.

## Specifier Notes — Topcoats:

- a. **ProMar® 200 Zero VOC Interior Latex** — A durable, professional quality zero VOC vinyl acrylic topcoat available in a Flat, Low Sheen, Low Gloss, Eg-Shel, Semi-Gloss and Gloss finishes.
- b. **Harmony® Interior Latex** - A durable zero VOC interior paint. Harmony also contains an anti-microbial agent that inhibits the growth of mold and mildew on the paint film--which also inhibits the growth of bacterial odors. Its Odor Eliminating Technology reduces common odors to help keep rooms smelling fresher, longer. Available in Semi-Gloss, Eg-Shel, and Flat Finishes.
- c. **Paint Shield® Microbicidal Interior Latex Paint** – A durable interior paint available in an eg-shel finish. Surfaces painted with Paint Shield® kill greater than 99.9% of (Staph) *Staphylococcus aureus*, MRSA (Methicillin-resistant *Staphylococcus aureus*), *E. Coli* (*Escherichia coli*), VRE (Vancomycin-resistant *Enterococcus faecalis*), and *Enterobacter aerogenes* within two hours of exposure on a painted surface.
- d. **Pro Industrial™ Pre-Catalyzed Waterbased Epoxy** — A single-component, waterbased acrylic epoxy that offers the durability and resistance to stains and most cleaning solvents usually characteristic of two-component waterbased epoxies. Available in Eg-Shel and Semi-Gloss finishes.
- e. **Pro Industrial™ Water Based Catalyzed Epoxy** — A two-component waterborne epoxy formulated to provide excellent corrosion resistance, chemical resistance, abrasion resistance, and moisture resistance. Available in Eg-Shel and Gloss finishes.
- f. **Pro Industrial™ Acrylic Coating** — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in a Eg-Shel, Semi-Gloss, and Gloss finishes.
- g. **ProClassic® Waterborne Interior Acrylic Semi-Gloss**— A high quality coating that provides a durable, non-yellowing finish. The excellent flow and leveling characteristics result in a smooth, rich finish equal to an alkyd enamel.

## Recommended Finishes:

<b>Ceilings and Soffits:</b>	Flat Finish
<b>Walls:</b>	Eg-Shel or Semi-Gloss Finish
<b>Trim:</b>	Semi-Gloss Finish (unless otherwise noted)

## Miscellaneous Notes:

---

### **SURFACE PREPARATION:**

- A. Proper product selection, surface preparation, and application affect coating performance. Coating integrity and service life will be reduced because of improperly prepared surfaces. Selection and implementation of proper surface preparation ensures coating adhesion to the substrate and prolongs the service life of the coating system. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system.
- B. Selection of the proper method of surface preparation depends on the substrate, the environment, and the expected service life of the coating system. Economics, surface contamination, and the effect on the substrate will also influence the selection of surface preparation methods.
- C. The surface must be dry and in sound condition. Remove oil, dust, dirt, loose rust, peeling paint or other contamination to ensure good adhesion.
- D. Prior to attempting to remove mildew, it is always recommended to test any cleaner on a small, inconspicuous area prior to use. Bleach and bleaching type cleaners may damage or discolor existing paint films. Bleach alternative cleaning solutions may be advised. Remove mildew before painting by washing with a solution of 1 part liquid household bleach and 3 parts of warm water. Apply the solution and scrub the mildewed area. Allow the solution to remain on the surface for 10 minutes. Rinse thoroughly with clean water and allow the surface to dry 48 hours before painting. Wear protective glasses or goggles, waterproof gloves, and protective clothing. Quickly wash off any of the mixture that comes in contact with your skin. Do not add detergents or ammonia to the bleach/water solution.
- E. Previously Coated Surfaces: maintenance painting will frequently not permit or require complete removal of all old coatings prior to repainting. However, all surface contamination such as oil, grease, loose paint, mill scale, dirt, foreign matter, rust, mold, mildew, mortar, efflorescence, and sealers must be removed to assure sound bonding to the tightly adhering old paint. Glossy surfaces of old paint films must be clean and dull before repainting. Thorough washing with an abrasive cleanser will clean and dull in one operation, or, wash thoroughly and dull by sanding. Spot prime any bare areas with an appropriate primer. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system. Check for compatibility by applying a test patch of the recommended coating system, covering at least 2 to 3 square feet. Allow to dry one week before testing adhesion per ASTM D3359. If the coating system is incompatible, complete removal is required per ASTM D4259.
- F. No exterior painting should be done immediately after a rain, during foggy weather, when rain is predicted, or when the temperature is below 50°F, unless products are designed specifically for these conditions. On large expanses of metal siding, the air, surface and material temperatures must be 50°F or higher to use low temperature products.
- G. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- H. Not all products are compliant nationwide, visit related websites for CARB, OTC, SCAQMD for current VOC regulations.

CARB- <http://www.arb.ca.gov/coatings/coatingsrules.htm>

OTC- [www.otcair.org](http://www.otcair.org)

SCAQMD- <http://www.aqmd.gov/home/regulations/rules>

## Miscellaneous Notes (Cont.):

---

- I. Product names, logos, brands and other trademarks are the property of their respective trademark holders.
- J. Refer to the current MSDS/SDS/EDS for specific VOCs (calculated per 40 CFR 59.406). VOCs may vary by base and sheen.
- K. Coating Maintenance Manual: upon conclusion of the project, the Contractor or paint manufacture/supplier shall furnish a coating maintenance manual, such as Sherwin-Williams "Custodian Project Color and Product Information" report or equal. Manual shall include an Area Summary with finish schedule, Area Detail designating where each product/color/finish was used, product data pages, Material Safety Data Sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

## Guest Room:

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series  
**2nd coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series

#### Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series  
**2nd coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series

#### Eg-Shel Finish, Microbicidal Paint,

- Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600  
**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51  
**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51

### Gypsum Board — Ceiling

#### Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

## Guest Room (Cont.):

---

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

### Wood — Painted Doors, Frames, Trim, or Chair Rails

#### Semi-Gloss Finish

**Primer:** [PrepRite® ProBlock® Latex Primer/Sealer](#), B51 Series

**1st coat:** [ProClassic® Waterborne Interior Acrylic Semi-Gloss](#), B31 Series

**2nd coat:** [ProClassic® Waterborne Interior Acrylic Semi-Gloss](#), B31 Series

Alternate:

**Primer:** [PrepRite® ProBlock® Latex Primer/Sealer](#), B51 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Eg-Shel Finish, Microbicial Paint

**Filler:** [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series

**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

### Wood — Stained Trim or Chair Rails

#### Stained Finish

**Stain:** [Minwax® Wood 250 Stain](#)

**2nd coat:** [Minwax® Waterbased Polyurethane Varnish](#), Satin or Gloss

**3rd coat:** [Minwax® Waterbased Polyurethane Varnish](#), Satin or Gloss



## Hallway/Corridor:

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series  
**2nd coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series

#### Semi-Gloss- High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

#### Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series  
**2nd coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series

#### Eg-Shel Finish, Microbicial Paint,

- Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600  
**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51  
**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

#### Eg-Shel- High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

### Gypsum Board — Ceiling

#### Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

## Hallway/Corridor (Cont.):

---

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

### Ferrous Metal — High Performance Finish (Including Handrails)

#### Eg-Shel or Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

### Non-Ferrous Metal — Galvanized/Aluminum

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

### Non-Ferrous Metal — High Performance Finish (Including Handrails)

#### Eg-Shel or Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

## Lobby/Common Area:

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series  
**2nd coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series

#### Semi-Gloss- High Performance Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

#### Eg-Shel Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series  
**2nd coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series

#### Eg-Shel Finish, Microbicial Paint,

**Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600  
**1st coat:** [Paint Shield™ Interior Latex Eg-Shel Microbicial Paint](#), D12W51  
**2nd coat:** [Paint Shield™ Interior Latex Eg-Shel Microbicial Paint](#), D12W51

#### Eg-Shel- High Performance Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

### Gypsum Board — Ceiling

#### Flat Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

## Lobby/Common Area (Cont.):

---

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [ProClassic® Waterborne Interior Acrylic Semi-Gloss](#), B31 Series

**2nd coat:** [ProClassic® Waterborne Interior Acrylic Semi-Gloss](#), B31 Series

### Ferrous Metal — High Performance Finish

#### Eg-Shel or Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

### Non-Ferrous Metal — Galvanized/Aluminum

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

### Non-Ferrous Metal — High Performance Finish

#### Eg-Shel or Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

## Conference/Multi-Purpose Room

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series  
**2nd coat:** [Harmony® Interior Latex Semi-Gloss](#), B10 Series

#### Semi-Gloss- High Performance Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

#### Eg-Shel Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series  
**2nd coat:** [Harmony® Interior Latex Eg-Shel](#), B9 Series

#### Eg-Shel Finish, Microbicial Paint,

**Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600  
**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51  
**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

#### Eg-Shel- High Performance Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

### Gypsum Board — Ceiling

#### Flat Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

## Conference/Multi-Purpose Room (Cont.):

---

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

## Bathroom:

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

#### Eg-Shel Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Eg-Shel Finish, Microbicial Paint,

**Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600

**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

### Gypsum Board Walls — High Performance Finish

#### Eg-Shel or Gloss Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

### Gypsum Board — Ceiling

#### Flat Finish

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

**Primer:** [Harmony® Interior Latex Primer](#), B11

**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series

**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

## Bathroom (Cont.):

---

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series  
**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

## Fitness Center:

---

### Gypsum Board — Walls

#### Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

### Gypsum Board Walls — High Performance Finish

#### Semi-Gloss- High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

#### Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

#### Eg-Shel Finish, Microbicial Paint,

- Filler:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600  
**1st coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51  
**2nd coat:** [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

### Gypsum Board Walls — High Performance Finish

#### Eg-Shel-High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

### Gypsum Board — Ceiling

#### Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**Alternate:**  
**Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

### Ferrous Metal — Doors, Frames, and Miscellaneous Metals

#### Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series  
**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

## Restaurant/Kitchen:

---

### Gypsum Board - Walls

#### Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

#### Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series  
**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

### Gypsum Board Walls — High Performance Finish

#### Eg-Shell or Gloss -High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series  
**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

### Gypsum Board — Ceiling

#### Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600  
**1st coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series  
**2nd coat:** [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

#### Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11  
**1st coat:** [Harmony® Interior Latex Flat](#), B5 Series  
**2nd coat:** [Harmony® Interior Latex Flat](#), B5 Series

### Ferrous Metal — High Performance Finish

#### Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series  
**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series



## Restaurant/Kitchen (Cont.):

---

### Non-Ferrous Metal — Galvanized/Aluminum

#### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

#### Alternate:

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

**2nd coat:** [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

### Non-Ferrous Metal — High Performance Finish

#### Eg-Shel or Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

## Indoor/Outdoor Pool:

### Pool Deck — Waterproofing Deck Coating

Please contact your local Sherwin-Williams Sales Representative to evaluate the project for the most complete product recommendation.

---

### CMU — Concrete Masonry Units, Interior Walls in Pool Area & Chemical Storage — High Performance Finish

#### Eg-Shel or Gloss

**Filler coat:** [Heavy Duty Block Filler](#), B42W46

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

### Gypsum Board – High Performance Finish — High Performance Finish

#### Eg-Shel or Gloss

**Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

**1st coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

**2nd coat:** [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

## Concrete Floors — Pigmented Coating Systems:

---

### Light Duty (Foot Traffic)

**1st coat:** [ArmorSeal® Tread-Plex™ Waterbased Acrylic Primer](#), B90 Series

**2nd coat:** [ArmorSeal® Tread-Plex™](#), B90 Series

**3<sup>rd</sup> coat:** [ArmorSeal® Tread-Plex™](#), B90 Series

## Concrete Floors — Decorative:

---

Sherwin-Williams, offers a full line of patching materials, basecoats and high-performance floor finishes. Sherwin-Williams has a coating solution for most surfaces.

Please contact your local Sherwin-Williams representative for detailed information and specifications

# Hospitality Facility Exterior Paint Schedule

---

## Specifier Notes — Topcoats:

---

- a. **A-100® Exterior Latex** — A 100% acrylic formula that offers a durable, professional quality coating available in a Flat, Satin, Low-Sheen, and Gloss finishes.
- b. **Loxon XP® Masonry Coating** — A high build exterior masonry coating that can be applied to fresh concrete and masonry surfaces. It is highly alkali and efflorescent resistant.
- c. **Pro Industrial™ Acrylic Coating** — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in an Eg-Shel, Semi-Gloss, and Gloss finishes.
- d. **Pro Industrial™ Water Based Acrolon 100 Urethane** — A two-component, water-based, acrylic urethane enamel. It is designed for high performance protection with outstanding exterior gloss and color retention properties.
- e. **UltraCrete™ Textured Masonry Topcoat** — A 100% acrylic aggregate filled coating used to produce a textured finish on exterior surfaces.

## Recommended Finishes:

---

- Body:** Flat or Satin (unless otherwise noted)
- Trim:** Semi-Gloss or Gloss Finish (unless otherwise noted)

# Hospitality Facility Exterior Paint Schedule

---

## Concrete and Masonry Vertical Surfaces — Smooth:

---

### Gloss Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Gloss](#), A8 Series

**2nd coat:** [A-100® Exterior Latex Gloss](#), A8 Series

### Satin Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Satin](#), A82 Series

**2nd coat:** [A-100® Exterior Latex Satin](#), A82 Series

### Flat Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Flat](#), A6 Series

**2nd coat:** [A-100® Exterior Latex Flat](#), A6 Series

### Flat Finish — High Build Coating

**1st coat:** [Loxon XP® Masonry Coating](#), A24-1400 Series

**2nd coat:** [Loxon XP® Masonry Coating](#), A24-1400 Series

## Concrete and Masonry Vertical Surfaces — Textured:

---

### Textured Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [Ultracrete™ Textured Masonry Topcoat Fine](#), Medium, Extra Coarse, A44-800 Series

**2nd coat:** [Ultracrete™ Textured Masonry Topcoat Fine](#), Medium, Extra Coarse, A44-800 Series

## Plaster/Stucco/EIFS:

---

### Gloss Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Gloss](#), A8 Series

**2nd coat:** [A-100® Exterior Latex Gloss](#), A8 Series

### Satin Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Satin](#), A82 Series

**2nd coat:** [A-100® Exterior Latex Satin](#), A82 Series

### Flat Finish

**Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

**1st coat:** [A-100® Exterior Latex Flat](#), A6 Series

**2nd coat:** [A-100® Exterior Latex Flat](#), A6 Series

## Wood:

---

### Gloss Finish

**Primer:** [Exterior Latex Wood Primer](#), B42W8041  
**1st coat:** [A-100® Exterior Latex Gloss](#), A8 Series  
**2nd coat:** [A-100® Exterior Latex Gloss](#), A8 Series

### Satin Finish

**Primer:** [Exterior Latex Wood Primer](#), B42W8041  
**1st coat:** [A-100® Exterior Latex Satin](#), A82 Series  
**2nd coat:** [A-100® Exterior Latex Satin](#), A82 Series

### Low Sheen Finish

**Primer:** [Exterior Latex Wood Primer](#), B42W8041  
**1st coat:** [A-100® Exterior Latex Low Sheen](#), A12 series  
**2nd coat:** [A-100® Exterior Latex Low Sheen](#), A12 series

## Ferrous Metals:

---

### Gloss- High Performance Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series  
**2nd coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series

### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series  
**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

## Non-Ferrous Metals:

---

### Gloss-High Performance Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series  
**2nd coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series

### Semi-Gloss Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series  
**2nd coat:** [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

## Balcony:

---

### Concrete Deck — Balcony Floors

#### Flat Finish

**1st coat:** [Sher-Crete® Flexible Concrete Waterproofer](#), A5 Series  
**2nd coat:** [Sher-Crete® Flexible Concrete Waterproofer](#), A5 Series

### Non-Ferrous Metal — Railing

#### Gloss-High Performance Finish

**Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series  
**1st coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series  
**2nd coat:** [Pro Industrial™ Water Based Acrolon 100 Polyurethane Gloss](#), B65-720 Series



©2016 The Sherwin-Williams Company