

## INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

<b>1. Incident Name:</b> Waccasassa Wildfire	<b>2. Date/Time Prepared:</b> Date: 03/27/2018 Time: 1235	<b>3. Operational Period:</b> Date From: 06/09/2018    Date To: 06/09/2018 Time From: 0800            Time To: 1200
---	---	---

<b>4. Basic Radio Channel Use:</b>									
Zone Grp.	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks
Comm 1 and 2	Interstation comm	Wildfire exercise Simplex		146.51	NA	146.51	NA	A/FM	Voice comms between stations 1 and 2
Comm 1 and 2	Repeater 2 m comm to EOC/General voice comms	Wildfire exercise repeater, primary		146.820	123	146.32	123	A/FM	General voice comms for EOC, ARES
Comm 1 and 2	Repeater 2 m comm to EOC/General voice comms	Wildfire exercise repeater, secondary		146.91	123	146.31	123	A/FM	General voice comms for EOC, ARES
Comm 1 and 2	VHF WINLINK gateway	KX4Z-7-10		145.070	NA	145.07	NA	D/FM/Packet 1200	WINLINK Connection (VHF)
Comm 1 and 2	VHF WINLINK gateway	KX4Z-7-10		145.030	NA	145.03	NA	D/FM/Packet 1200	WINLINK Connection (VHF)
Comm 1 and 2	HF Forwarding Gateway	KX4Z		3.595 MHz center freq	NA	same	NA	D/USB WINMOR and USB PACTOR WINLINK	WINLINK Connection (HF)
Comm 1 and 2	HF Forwarding Gateway	KX4Z		7.1035 MHz center frequency	NA	same	NA	D/USB WINMOR and USB PACTOR WINLINK	WINLINK Connection (HF)

Comm 1 and 2	HF Forwarding Gateway	KX4Z		10141.5 kHz center freq	NA	same	NA	D/USB WIN- MOR and USB PACTOR WINLINK	
Comm 1 and 2	HF Forwarding Gateway	KX4Z		14.098 MHZ center freq	NA	same	NA	USB WIN- MOR and USB PACTOR WINLINK	
Comm 1 and 2	Digital	HF Digital via FLDigi		14.070	NA		NA	D/PSK-31	
Comm 1 and 2	Digital	HF Digital via FLDigi		7.070	NA		NA	D/PSK-31	
Comm 1 and 2	VHF WIN-LINK gateway	NK3F-7-10		145.070	NA	same	NA	D/FM/Pack- et 1200	
Comm 1 and 2	VHF WIN-LINK gateway	KM4YGH-7-10		145.070	NA	same	NA	D//FMPack- et 1200	
Comm 1 and 2	Digital Node Relay stations	, KI4KEA-7, NF4RC-7		145.070	NA	same	NA	D/Packet 1200	
Comm 1 and 2	SSB monitoring	W4UFL/EOC proxy		14.228 dial freq	NA	same	NA	A/SSB	

### 5. Special Instructions:

**Monitoring will be by W4UFL, as EOC Proxy.**

**FM**                    **146.90 (146.91 as necessary)**  
**WINLINK**           **[W4UFL@winlink.org](mailto:W4UFL@winlink.org)**  
**PSK-31.**             **14.070**  
**SSB**                  **14.118**

6. Prepared by (Communications Unit Leader): Name: John Troupe \_\_\_\_\_ Signature: \_\_\_\_\_

ICS 205

IAP Page \_\_\_\_\_

Date/Time: 3/27/2018 1235 \_\_\_\_\_